Concurrent Programming

2: Java, Java, Java

Fabrizio Montesi <fmontesi@imada.sdu.dk>



DEPARTMENT OF MATHEMATICS AND COMPUTER SCIENCE • We are going to use Java as programming language.

• We are going to freshen up on Java first.

• And maybe learn something new.

- Some things I'll use during the course:
 - Generics
 - Anonymous Inner Classes
 - Lambda expressions

Generics

- Type parameters for code.
- Meaning: You write code that is "generic" wrt types. (note: wrt is short for "with respect to")

• Or: Your code can work with data of different types.

https://docs.oracle.com/javase/tutorial/java/generics/index.html

Anonymous Inner Classes

• Inner Class: A class defined within a class. It has a name.

• Anonymous Inner Class: An Inner Class without a name.

• https://docs.oracle.com/javase/tutorial/java/javaOO/nested.html

Lambda Expressions

- Functions defined within code.
- https://docs.oracle.com/javase/tutorial/java/javaOO/lambdaexpr essions.html

For the next time

• Read up the previous links.

• **Opt:** Define a generic class Pair<K,V> that can store pairs of values of any types.

• **Opt:** Create a List of Pair<String, Integer> with some values. For each pair containing a string s and an integer n, we say that s is associated to n.

• **Opt:** For each string (first value of a pair) in the list, print the sum of all integers associated to that string.